


## American Concrete Industries


4'x6' CMP SPLICE Box

WWW. AMERICANCONCRETE. COM 1717 STILLWATER AVE.

> VEAZIE, ME. 04401 TEL: (207) 947-8334 FAX: (207) 947-3580




## PLAN VIEW





CMP 4x6 Base SLAB (SOLD SEPARATELY) (#321640)



CONCEPTUAL VIEW

Site Preparation Notes:

PAD SHALL BE SET ON A PROPERLY PREPARED <1" GRAVEL OR CRUSH STONE BASE

FINISHED GRADE SHALL BE PREPARED IN SUCH A WAY AS TO

SHED WATER AWAY FROM THE PAD

Manufacturing Notes:

CONCRETE COMPRESSIVE STRENGTH: 4,000PSI @ 28 DAYS

AIR ENTRAINMENT: 4%-6%

2.3 GRADE 60 REINFORCEMENT

DESIGNED FOR H-20 TRAFFIC LOADING

3/4"Ø NATIONAL COURSE THREADED INSERTS AS SHOWN FOR

PULLING EYES

3. Physical Specifications: Upper Unit Weight (#321660): Base Slab Weight (#321640): 7,692 lbs 2.493 lbs

3.2. 3.3. 10,185 lbs Total Weight:

UTILITY | PULL BOXES | CMP | 4'X6' CMP SPLICE BOX AMERICAN CONCRETE INDUSTRIES CATALOG

Scale: 1/2" = 1'-0" Unless otherwise noted REVISION #: 0.00 DRAWN DATE: 10/4/2018 REVISION DATE: 00/00/00